Conceptual Foundations of RDA Part 3

Focus on Relationships

Relationships in RDA

- Section 5, chapter 17, Primary Relationships
- Section 6, chapters 18-22, Relationships to Persons, Families, Corporate Bodies
- Section 8, chapters 24-28, Relationships between Works, Expressions, Manifestations, Items
- Section 9, chapters 29-32, Relationships between Persons, Families, Corporate Bodies
- Sections 7 and 10, subject relationships

Relationships in the Catalogue

- Provide structure
- Collocation
 - User tasks <u>Find</u> and <u>Identify</u>
- Allow navigation

Outline

- FRBR relationships
- FRAD relationships
- Relationships in RDA
- MARC 21 coding

FRBR Relationships

- Bibliographic relationships
- Types of relationships according to FRBR
- Comparison with other taxonomies
- Recording relationships in RDA and MARC 21

Bibliographic Relationships

- Inherent structural relationships
- Between Group 1 entities

Group 1 Primary Relationships

WORK

realized through

EXPRESSION

embodied in

MANIFESTATION

exemplified by

ITEM

Primary Relationships in RDA

- Ch.17 Recording Primary Relationships
- Work manifested
- Expression manifested
- Access point for the work or expression
- Composite description

Group 2 Primary Relationships

PERSON FAMILY CORPORATE BODY

responsible for

work expression manifestation item

Group 2 Primary Relationships

- Different types of responsibility:
- Item <is owned by>
- Manifestation <is produced by>
- Expression <is realized by>
- Work <is created by>

RDA Section 6

- Access points
- with relationship designators from appendix I

700 1# \$a Saint-Germain, Michel, \$d 1951-\$e translator

or

700 1# \$a Saint-Germain, Michel, \$d 1951-\$4 trl

Between Group 1 Entities

- In FRBR
- Types of relationships characterized by:
 - entities involved
 - Referential or Autonomous
 - Dependent part or Independent part

Work or Expression Level

- Work-to-Work
- Expression-to-Expression (between expressions of <u>different</u> works)
- Expression-to-Work (expression to a <u>different</u> work)

Work or Expression Level

- Successor
- Supplement
- Complement
- Summarization
- Adaptation
- Transformation
- Imitation

Whole/Part: Work or

Expression

- Dependent part
 - Chapter, section, part, etc.
 - Volume/issue of serial
 - Part of multipart work
 - Illustration for a text
 - Sound track for a film

- Independent part
 - Monograph in series
 - Journal article
 - Part of multipart work

Expression-to-Expressionof same Work

- Abridgement
- Revision
- Translation
- Arrangement (music)

Manifestation or Item Level

- Manifestation-to-Manifestation (of <u>same</u> expression)
- Manifestation-to-Item (of a <u>different</u> manifestation of the <u>same</u> expression)
- Item-to-Item

Manifestation-to-Manifestation

Reproduction

- reproduction
- microreproduction
- reprint
- facsimile
- mirror site

Alternate

- alternate format
- simultaneous edition

Whole/Part: Manifestation

- Volume of multivolume manifestation
- Soundtrack for a film

- parts of a kit
- part may be physically separate or not

Item-to-Item

Reconfiguration

- bound with
- split into
- extracted from

Reproduction

- reproduction
- microreproduction
- facsimile

Whole/Part: Item

- Physical component of copy
 - integral, such as: a page
 - discrete, such as: a volume
- Binding of a book

Other Taxonomies

- MARC/UNIMARC
- Barbara Tillett
- Richard Smiraglia

MARC 21/UNIMARC

- Horizontal 765, 767, 775, 776
- Vertical 760, 762, 770, 772, 773, 774
- Chronological 777, 780, 785

Barbara Tillett

- Equivalence
- Derivative
- Descriptive
- Whole-part
- Accompanying
- Sequential
- Shared characteristic

Mapping Work or Expression Level Relationships

- Successor
- Supplement
- Complement
- Summarization
- Adaptation
- Transformation
- Imitation

- = Sequential
- = Accompanying
- = Accompanying
- = Derivative
- = Derivative
- = Derivative
- = Derivative

Mapping Expression-to-Expression Relationships

- Abridgement
- Revision
- Translation
- Arrangement (music)

- = Derivative
- = Derivative
- = Derivative
- = Derivative

Observations on Mapping

- Sequential class maps to one case only
- Accompanying class to few cases
- Descriptive and Shared characteristic classes do not appear here
- Derivative class has multiple maps
 - break it down further

Richard Smiraglia

- Simultaneous derivations
- Successive derivations
- Translations
- Amplifications
- Extractions
- Adaptations
- Performances

Mapping Work or Expression Level Relationships (2)

- Successor
- Supplement
- Complement
- Summarization
- Adaptation
- Transformation
- Imitation

- = Sequential
- = Accompanying
- = Accompanying
- = Derivative/extraction?
- = Derivative/adaptation
- = Derivative/adaptation
- = Derivative/adaptation?

Mapping Expression-to-Expression Relationships (2)

- Abridgement
- Revision

- Translation
- Arrangement (music)

- = Derivative/extraction
- = Derivative/successive derivation
- = Derivative/translation
- = Derivative/adaptation

Observations on Mapping (2)

- Adaptation subclass has multiple mappings
- Performance subclass is missing
 - should be expression-to-expression
- Amplifications handled as aggregates

Mapping Manifestation-to-Manifestation Relationships

Reproduction

- = Equivalence
- microreproduction
- reprint
- facsimile
- Alternate
 - alternate format
 - simultaneous edition

- = Equivalence
- = Derivative/ simultaneous derivation

Mapping Item-to-Item Relationships

- Reconfiguration
 - bound with
 - split into
 - extracted from
- Reproduction

- = Accompanying
- = Whole-part
- = Whole-part
- = Equivalence

Observations on Mapping (3)

- Retrieval of set of "equivalent" manifestations, those realizing the same expression
- Does this mean:
 - Reproduction only?
 - Reproduction + Alternate?
 - Or Equivalence only?

RDA Section 8

- Identifiers or
- Access points
- with relationship designators from appendix J
- Structured or unstructured descriptions

MARC 21 Coding Unstructured Descriptions

```
500 ## $a Based on the novel
                                  (work)
500 ## $a Includes index
                                  (work)
500 ## $a Adapted from the author's thesis
                             (expression)
530 ## $a Also available in PDF
                           (manifestation)
500 ## $a Reproduction of the manuscript
 held by ...
                               (item)
```

MARC 21 Coding, Structured Descriptions, Identifiers

- Formal contents notes 505
- Linking fields 75X-78X, subfields \$0 \$w \$x \$z for identifiers
- 785 00 \$t TEIC quarterly seismological bulletin \$x 0741-1898 \$w (DLC) sc#83007721#
- 787 08 \$i reproduction of (manifestation) \$a Verdi, Giuseppe, \$d 1813-1901. \$t Otello. \$d Milan : Ricordi, 1913

MARC 21 Coding

Access Points

- Series 800-830
- 830 #0 \$a Collection Première lecture; \$v 26
- 700-730, with new \$i (relationship designator)
- 700 1# \$i sequel to \$a Carroll, Lewis, \$d 1832-1898. \$t Alice's adventures in Wonderland
- 700 1# \$i translation of \$a Simenon, Georges, \$d 1903-1989. \$t Long cours

FRAD Relationships

- Relationships between different Persons,
 Families, Corporate bodies, Works
- Relationships between various Names of Persons, Families, Corporate bodies, Works
- Relationships between Controlled Access Points for the same entity

FRAD Relationships Between Different Entities

- Relate one entity to another bibliographically different entity
- Provide navigation between authorized forms of controlled access points for <u>different</u> entities
- MARC 21 coding: 5XX (See also references)

FRAD Relationships

- Person-to-Person
- Person-to-Family
- Person-to-Corporate Body
- Family-to-Family
- Family-to-Corporate Body
- Corporate Body-to-Corporate Body
- Work-to-Work (as in FRBR)

- Pseudonymous
- Secular/Religious
- Official capacity
- Attributive
- Collaborative
- Siblings
- Parent/Child

- Pseudonymous, Multiple bibliographic identities
 - Mertz, Barbara also writes under the pseudonyms Barbara Michaels and Elizabeth Peters
 - One real person, 3 distinct bibliographic identities
 - 3 authority records

- Secular name / Name in religion
 - Roncalli, Angelo Giuseppe secular name of John XXIII, Pope
- Official capacity
 - Paul Martin had official name Canada. Prime Minister for 2003-2006
- Attributive
 - Brutus, Marcus Junius versus Pseudo-Brutus

- Collaborative
 - Erckmann-Chatrian the collective pseudonym of Erckmann, Emile and Chatrian, Alexandre
 - 2 real persons, 3 bibliographic identities
- Siblings
- Parent/Child

Person-to-Family or Person-to-Corporate Body

- Membership
 - Person and their Family
 - Person as member of a musical group
 - Buddy Rich member of Buddy Rich Band

Family-to-Family

- Genealogical
 - Conti, House of descendent family of Condé, House of

Family-to-Corporate Body

- Founding
 - Hall family founded Hall Family Foundation
- Ownership
 - Herlin family owns Kone

Corporate Body-to-Corporate Body

- Hierarchical
 - Subordination
- Sequential
 - Predecessor / Successor (earlier/later name)
 - Separation / Amalgamation

RDA Section 9

- Relationships between Persons, Families and Corporate Bodies
- Identifiers or
- Access points
- with relationship designators from appendixK

MARC 21 Coding

- 5XX fields in Authority records
- \$w/0=r (Relationship information in \$i or \$4)
- \$i (Relationship information) or \$4 (Code)
- Link different authority records

Examples

```
110 2# $a I.M. Pei & Partners
500 1# $w r $i founder $a Pei, I. M., $d
1917-
510 1# $w b $a Pei Cobb Freed & Partners
```

100 1# \$a Clemens, Samuel, \$d 1835-1910

500 1# \$w r \$i alternate identity \$a Twain, Mark, \$d 1835-1910

FRAD Relationships Among Names of Entities

- Relate names which refer to the same entity in different contexts
- Relationships usually exist in pairs
- Used to create references from variant names to the name used for the authorized controlled access point of a <u>single</u> entity
- MARC 21 coding: 4XX (See references)

FRAD Relationships Among Names of Entities

- Names of Persons
- Names of Families
- Names of Corporate Bodies
- Names of Works

Names of Persons

- Earlier name / Later name
 - Thibeault, Jacques-Anatole earlier name of France, Anatole
 - Nicholls, Charlotte later name of Brontë,
 Charlotte
- Other variant names (different spellings, etc.)

Names of Corporate Bodies

- Expanded name
- Acronym/initials/abbreviations
- Other variant names (different spellings, etc.)

Names of Works

- Conventional name
- Other variant names (different spellings, etc.)

For Any Entity

Alternative linguistic form

Marcus Aurelius Antonius

Marc Aurèle

Familie Trapp

Trappin perhe

United Nations

Nations Unies

<Latin>

<French>

<German>

<Finnish>

<English>

<French>

Variant Names in RDA

- Creating access points based on variant names follows instructions for access points based on preferred names
- See Chapters
- 9-11 (Persons, Families, Corporate Bodies)
- 16 (Places)
- 6 (Works)

FRAD Relationships Between Controlled Access Points

- Relate one authorized form of a controlled access point to another authorized form for the <u>same</u> entity in another system
- Used when linking one authority file to another
- MARC 21 coding: 7XX (authority linking entries)
- Out of scope for RDA

Relationships Between Controlled Access Points

- Parallel languageLibrary and Archives Canada
 - = Bibliothèque et Archives Canada
- Alternate script
 Cyrillic or Chinese as opposed to romanized
- Different rules

```
Benedict XVI, Pope, 1927- (AACR2 - English)
```

Benoît XVI, pape, 1927- (RCAA2 - French)

Other Relationships

- Also out of scope for RDA
 - Relationship between a controlled access point for a subject and its classification number
 - Relationship between a controlled access point for an entity and an identifier
- RDA sections 7 and 10 reserved for subject entities and relationships
- Work has subject is an FRBR inherent relationship

Group 3 Primary Relationships

CONCEPT

OBJECT
EVENT
PLACE
+ group 1 and 2 entities

subject relationships to

group 1 entity:

CREPUQ nov. 2010 Pat Riva 63

work

Summary of Relationships

- FRBR and FRAD describe inherent and bibliographic/authority relationships
- Different techniques to include relationships in bibliographic and authority records
- Relationships (collocation) turn separate records into a catalogue
- Enable the Find and Identify user tasks